

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient)

Submitted: 2/18/2020

Approved: 2/18/2020

	<i>First Name</i>	<i>Last Name</i>	<i>Office/Title</i>	<i>Phone Number</i>	<i>E-mail</i>
<i>Alternate Contact</i>	Mitch	Monnig	AFSMO/SMN/Spectrum Mgr	301-225-3733	mitchell.monnig@us.af.mil
<i>Responsible Officer</i>	Thu	Luu	AFSMO/SM/Director	301-225-3848	thu.luu@us.af.mil
<i>Alternate Contact</i>	Kevin	Mead	AFSMO/SMN/Engineer	301-225-3717	kevin.mead.6@us.af.mil
<i>Primary Contact</i>	Dai	Ngo	AFSMO/SMN/Division Chief	301-225-3711	dai.ngo@us.af.mil
<i>Alternate Contact</i>	Kenneth	Stowe	AFSMO/SMN/Spectrum Mgr	301-225-3725	kenneth.stowe.1@us.af.mil

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Freq-Geo Transition Timeline

Serial Number	System Name	Center Lower Frequency (MHz)	Upper Frequency (MHz)	Emission Bandwidth (MHz)	Receiver Bandwidth	System Use Type Name	Operation Area	Transmitter State	Transmitter Latitude	Transmitter Longitude
AF103102	AF Other 1 (AF-3550-4)	*****	*****	*****	*****	Land	*****	CA	*****	*****
AF103103	AF Other 1 (AF-3550-4)	*****	*****	*****	*****	Land	*****	MO	*****	*****
AF103104	AF Other 1 (AF-3550-4)	*****	*****	*****	*****	Land	*****	CA	*****	*****
AF122767	AF Other 1 (AF-3550-4)	*****	*****	*****	*****	Land	*****	GU	*****	*****
AF152888	AF Other 2 (AF-3550-5)	*****	*****	*****	*****	Land	*****	NM	*****	*****
AF168966	AF Other 3 (AF-3550-6)	*****	*****	*****	*****	Land	*****	NV	*****	*****
AF169130	AF Radiolocation 1 (AF-3550-3)	*****	*****	*****	*****	Land	*****	NV	*****	*****
AF169131	AF Radiolocation 1 (AF-3550-3)	*****	*****	*****	*****	Land	*****	NV	*****	*****
AF169132	AF Radiolocation 1 (AF-3550-3)	*****	*****	*****	*****	Land	*****	NV	*****	*****
AF193581	AF Other 5 (AF-3550-8)	*****	*****	*****	*****	Land	*****	MO	*****	*****
AF193668	AF Other 6 (AF-3550-9)	*****	*****	*****	*****	Land	*****	OH	*****	*****
AF193762	AF Other 2 (AF-3550-5)	*****	*****	*****	*****	Land	*****	FL	*****	*****

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Freq-Geo Transition Timeline

Serial Number	Receiver State	Receiver Latitude	Receiver Longitude	Alternate Frequency Assignment	Geographic Location associated with Timeline	Sharing Type	Indefinite Sharing Timeline (Months after 6/25/2020)	Temporary Sharing Timeline (Months after 6/25/2020)	Vacate Assignment Timeline (Months after 6/25/2020)
AF103102	CA	*****	*****	*****	CA	Indefinite	0		
AF103103	MO	*****	*****	*****	MO	Indefinite	0		
AF103104	CA	*****	*****	*****	CA	Indefinite	0		
AF122767	GU	*****	*****	*****	GU	Indefinite	0		
AF152888	NM	*****	*****	Experimental (NIB)	NM	Indefinite	0		
AF168966	NV	*****	*****	Experimental (NIB)	NV	Indefinite	0		
AF169130	NV	*****	*****	N/A	NV	Indefinite	0		
AF169131	NV	*****	*****	N/A	NV	Indefinite	0		
AF169132	NV	*****	*****	N/A	NV	Indefinite	0		
AF193581	MO	*****	*****	Experimental (NIB)	MO	Indefinite	0		
AF193668	OH	*****	*****	Experimental (NIB)	OH	Indefinite	0		
AF193762	FL	*****	*****	Experimental (NIB)	FL	Indefinite	0		

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Funds

System Name	Total Pre-Auction Cost (\$M)	Pre-Auction Transfer Requested (\$M)	Pre-Auction Cost Pre-2012 (\$M)	Equipment Cost (\$M)	Deployment Cost (\$M)	Total Cost (\$M)	Begin Expenditure Timeline (Months)	End Expenditure Timeline (Months)
AF EME Sensing and Monitoring (AF-3550-2)	0.0000	0.0000		3.9000	0.4380	4.3380	1	60
AF Engineering and Sharing Support (AF-3550-1)	0.0000	0.0000		0.0000	0.7500	0.7500	1	60
AF Other 1 (AF-3550-4)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Other 2 (AF-3550-5)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Other 3 (AF-3550-6)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Other 4 (AF-3550-7)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Other 5 (AF-3550-8)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Other 6 (AF-3550-9)	0.0000	0.0000		0.0000	0.0000	0.0000		
AF Radiolocation 1 (AF-3550-3)	0.0000	0.0000		0.0000	0.0000	0.0000		
Total	0.0000	0.0000	0.0000	3.9000	1.1880	5.0880		

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Funds

System Name	Expanded Capability Cost (\$M)	Expanded Capability Description	Expanded Capability Justification
AF EME Sensing and Monitoring (AF-3550-2)			
AF Engineering and Sharing Support (AF-3550-1)			
AF Other 1 (AF-3550-4)			
AF Other 2 (AF-3550-5)			
AF Other 3 (AF-3550-6)			
AF Other 4 (AF-3550-7)			
AF Other 5 (AF-3550-8)			
AF Other 6 (AF-3550-9)			
AF Radiolocation 1 (AF-3550-3)			
Total	0.0000		

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Interactions

Interaction Name	Interaction Description
1	AF-3550-1: No interactions with NTIA regulators needed.
2	AF-3550-2: If interference from commercial wireless to Air Force systems are detected promptly inform the NTIA regulators. Work with NTIA and FCC on resolution of interference cases.

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Impact Factors

Factor Name	Factor Description
Exclusion Zone	Any non-Federal use of the 3550-3650 MHz band, in areas and frequencies designated as exclusion areas, is not permitted.
Sensitive Information that is not releasable to the public is included in the Transition Plan	In accordance with 47 USC 929 - National Security and Other Sensitive Information, the DoD CIO has determined that there is a legal basis for non-disclosure of certain information and that public disclosure of information designated U//FOUO, taken in the aggregate as presented in this TP, would be detrimental to national security. Withholding the sensitive information has no impact on fulfillment of this transition plan as the protection areas and exclusion zones are already known to the public.
Spectrum Monitoring Equipment	The Air Force cannot implement and execute this transition plan without spectrum monitoring systems at our installations.

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Notes

Note Name	Note Text
Air Force Executive Summary	<p>The Department of the Air Force 3550-3650 MHz Transition Plan focuses on operations at the Nevada Test and Training Range (NTTR). The engineering and sharing support component of the Air Force Transition Plan will provide the Air Force with qualified personnel to support working group coverage and engineering management needed to implement the DoD sharing strategy in coordination with industry, NTIA, and FCC. The designated Air Force engineering team will support all components of the Air Force sharing plan. The EME Sensing and Monitoring component of the Air Force Transition Plan provides for the procurement, installation, and maintenance of sensing and monitoring systems at the NTTR. This system will analyze and quantify RF radar measurements ensuring radar performance is not degraded while assessing the newly shared environment.</p>
NTIA Collaboration	<p>NTIA will be invited to participate in the execution of the efforts funded by this transition plan. Data, analysis, software capabilities (including source code), reports, and other products resulting from the activities funded by the DoD Transition Plans can and will be shared with NTIA.</p>
Sharing Costs	<p>All requested funding in the DoD Transition Plans is an allowable use of the Spectrum Relocation Fund for the 3550-3650 MHz band. DoD is entitled to full protection as the incumbent under the CBRS sharing rules and is currently incurring sharing costs in connection with the auction of 3550-3650 MHz Priority Access Licenses (PAL). The transition activities are required to maintain comparable capability in terms of risk of interference and DoD's ability to address any interference that may occur, at least equivalent to the risk and ability to mitigate interference as before the Citizens Broadband Radio Service (CBRS) sharing arrangement and PAL auction.</p> <p>Prior to the sharing arrangement, the DoD was able to effectively operate all of its spectrum dependent systems in the 3550-3650 MHz band. DoD's implementation of an indefinite sharing arrangement with new uses and users in the 3550-3650 MHz band inevitably involves the sharing costs as identified in 47 U.S.C. §923(g)(3). To ensure comparable operations and capabilities, DoD is and will continue to incur costs to mitigate against harmful interference to its protected operations.</p> <p>The proposed activities are required to ensure DoD incumbent operations are protected. Any expanded capabilities are incidental to establishing the core capability that is needed for sharing the 3550-3650 MHz band with CBRS.</p>

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF103102	Alternate Frequency Assignment	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF103102	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103102	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Alternate Frequency Assignment	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF103103	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF103103	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103103	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Alternate Frequency Assignment	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF103104	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF103104	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF122767	Alternate Frequency Assignment	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF122767	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF122767	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF152888	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF152888	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF152888	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF168966	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF168966	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF169130	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169130	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF169130	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF169131	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169131	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF169132	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF169132	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF169132	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF193581	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193581	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF193668	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193668	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF193668	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Center Lower Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Emission Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Operation Area	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Receiver Bandwidth	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Receiver Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]

Releasable

DOD\AF 3550-3650 (Rev. 2) (Sufficient) - Excluded Info

Table	Row	Column	Agency Marking	Reference
Frequencies	AF193762	Receiver Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Transmitter Latitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Transmitter Longitude	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]
Frequencies	AF193762	Upper Frequency	U//FOUO	DOD Manual 5200.01, Volume 4, Enclosure 3, Para. 2. FOUO INFORMATION. [Note: DOD CIO Memo reference (b) is DoD Manual 5200.01, DoD Information Security Program : Controlled Unclassified Information, Volume 4, February 24, 2012.]